

MATERIAL SAFETY DATA SHEET

Prepared by Reagent & Diagnostics Department
Tokiwa Chemical Industries CO., Ltd.

Alkylphenol Ethoxylate ELISA KIT (96 wells)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's name: Tokiwa Chemical Industries CO., Ltd.
Address: 16-22, Kami-ikebukuro 4-Chome, Toshima-ku, Tokyo, 170-0012, Japan
Phone No.: +81-3-3940-7768
Fax No.: +81-3-3940-7689
Product Name: Alkylphenol Ethoxylate ELISA KIT (Microplate) (APE)

2. COMPOSITION/INFORMATION ON INGREDIENTS

LABEL/Ingredient	CAS Number	Content(%)(w/w)
[1]MoAb-Coated Microplate (1 Plate/Kit) Monoclonal antibodies against APE	N/A	N/A
[2]APE Standard Concentrate (4 mL/Vial/Kit) <1> Nonylphenol ethoxylate (NP10EO, 4mg/L) <2> Methanol (20%(v/v))	26027-38-3 67-56-1	0.0004% ca.16%
[3]Antigen-enzyme Conjugate (Powder) Antigen conjugate to HRP(Horseradish peroxidase) Stabilizer	N/A	under0.1% -
[4]Buffer Solution (8 mL/Vial×2/Kit) Phosphate buffer Sodium chloride Stabilizer	7647-14-5	0.3% 0.8% 1%
[5]Wash Solution (6-fold concentration) (50 mL/Vial/Kit) Phosphate buffer Sodium chloride Surfactant	- 7647-14-5 N/A	- 4.8% 0.3%
[6]Chromogen Solution (250µL/Vial/Kit) Chromogen (3,3',5,5'-Tetramethylbenzidine) <3> N,N-Dimethylformamide	54827-14-5 68-12-2	ca.1% ca.99%
[7]Substrate Solution (15 mL/Vial/Kit) pH buffer Sutabilizer Substrate	- - -	ca.1.2% ca.1% under0.01%
[8]Stop Solution (15 mL/Vial/Kit) <4> Phosphoric acid	7664-38-2	4.9%

MoAb: monoclonal antibody, N/A: not applicable

	SYNONYMS	FORMULA	Mw
<1>	Polyoxyethylene p-nonylphenyl ether	$(C_2H_4O)_n C_{15}H_{24}O$	variable (n=ca.10)
<2>	Methyl alcohol	CH ₃ OH	32.04
<3>	DMF	C ₃ H ₇ NO	73.11
<4>	Orthophosphoric acid	H ₃ PO ₄	98.00

	EINECS	ENCS #	ECL Serial #	TSCA	DSL	AICS	RTEC #
<1>	unlisted	unlisted chemical name 7 -172X	KE-26245	listed as XU	listed	listed	MD0906000
<2>	200-659-6	2-201	KE-23193	listed	listed	listed	PC1400000
<3>	200-679-5	2-680	KE-11411	listed	listed	listed	LQ2100000
<4>	231-633-2	1-422	KE-27427	listed as XU	listed	listed	TB6300000

INDICATION OF DANGER :

<2> EEC No.:200-659-6, Index No.:603-001-00-X, Danger Symbols F,T, R:11-23/25, S: (1/2-)7-16-24-45

<3> EEC No.:200-679-5, Index No.:616-001-00-X, Danger Symbol T, R:61-20/21-36, S: 53-45

<4> EEC No.:231-633-2, Index No.:015-011-00-6, Danger Symbol C, R:34, S:(1/2-)26-45

3. HAZARDS IDENTIFICATION

Maybe harmful if inhaled and ingested and contacted with skin. Irritation of eyes and skin. Toxic if swallowed. May cause harm to the unborn child. [2]: Flammable , [6]: Flammable [8]: Skin corrosion/irritation

4. FIRST AID MEASURES

GENERAL ADVICE :

Wash off immediately with soap and plenty of water. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. Use personal protective equipment.

INHALATION :

Move victim to fresh air. If breathing is difficult, give oxygen. If irritation persists, consult a physician.

SKIN CONTACT :

Remove contaminated clothes and shoes, rinse skin with plenty of water or shower. Use soap to help assure removal. If irritation persists, consult a physician.

EYE CONTACT :

Remove any contact lenses at once. Flush eyes well with flooding amounts of running water for at least 15minutes.

Assure adequate flushing by separating the eyelids with sterile fingers. If irritation persists, consult a physician.

INGESTION:

Rinse mouth, give plenty of water to dilute the substance. Never give anything by mouth to an unconscious person. Consult a physician.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA : Carbon dioxide, dry chemical powder, foam, water

FIRE AND EXPLOSION HAZARDS:

[1],[3]-[5],[7],[8]: Toxic, irritating fumes or smoke may be emitted. [2],[6]: Flammable liquid, hazardous toxic and irritating fumes or smoke may be emitted.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS :

Firemen should wear normal protective equipment (full bunker gear) and positive-pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS :

Remove ignition sources and ventilate area. In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin and eyes.

ENVIRONMENTAL PRECAUTIONS : Prevent spills from entering sewers, watercourses or low areas.

METHODS FOR CLEAN UP :

Do not touch spilled material without suitable protection (See section 8). Take up spilled material with ashes or other absorbents. After material is completely picked up, wash the spill site with soap and water and ventilate the area.

Put all wastes in a plastic bag for disposal and seal it tightly. Remove, clean, or dispose of contaminated clothing.

Drains should be well flushed with large amount of water when discarding the reagents.

7. HANDLING AND STORAGE

Research use only.

HANDLING :

Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Handle material with suitable protection away from source of heat or ignition and use non-sparking type tools.

STORAGE :

Store away from sunlight in a cool (2- 8 °C, = 35.6- 46.4°F) well-ventilated dry place. Keep container tightly closed.

See also the indication described on label for handling.

INCOMPATIBLE PRODUCTS : Water-reactive materials (alkali metals etc.), strong oxidizers, acids, heavy metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES :

Use exhaust ventilation to keep airborne concentrations below exposure limits. Use only with adequate ventilation.

VENTILATION :

Local Exhaust ; Necessary, Mechanical (General) ; Necessary, Special ; Closed system is recommended.

CONTROL PARAMETER : <1> : Not available

<2> OSHA PEL ; TWA 200ppm (260mg/m³) , ACGIH TLV ; TWA 200ppm (262mg/m³) , ACGIH TLV ; STEL 250ppm (328mg/m³) (skin), NIOSH REL ; TWA 200ppm (260mg/m³) (skin), STEL 250ppm (325mg/m³) (skin) Health Effects : Blindness, metabolic acidosis.

<3> OSHA PEL ; TWA 10ppm (30mg/m³) (skin designation X), ACGIH TLV ; TWA 30mg/m³ (10ppm) (skin), NIOSH REL ; TWA 10ppm (30mg/m³) (skin), Health Effects : Vapors are toxic to the liver.

<4> OSHA PEL ; TWA 1mg/m³, ACGIH TLV ; TWA 1mg/m³, ACGIH TLV ; STEL 3mg/m³, NIOSH REL ; TWA 1mg/m³ , STEL 3mg/m³, Health Effects : Mild irritation of the eyes, upper respiratory tract, and skin.

PERSONAL PROTECTION :

Respiratory protection ; NIOSH/MSHA approved respirator / Hand protection ; Chemical resistant gloves

Eye protection ; Safety glasses (goggles) / Skin protection ; Protective clothing

9. PHYSICAL AND CHEMICAL PROPERTIES**APPEARANCE :**

[1]; 96 well microplate in silver package

[2]; Colorless clear liquid in clear bottle

[3]; White mass in clear bottle

[4]; Colorless clear liquid

[5]; Colorless clear liquid

[6]; Colorless to pale yellow liquid in brown bottle

[7]; Colorless clear liquid

[9]; Colorless clear liquid

ODOR :

[2],[6]; Characteristic odor, [1],[3],[4],[5],[7],[8]; Odorless

pH :

[2]; pH 6-8,[4]; pH 7-7.5,[5]; pH 7-7.4,[7]; pH 5-5.5,[8]; pH 0-1

BOILING POINT :

<2> 65°C, <3> 153°C, [8] ca.100°C

MELTING POINT :

<2> -93°C, <3> -61°C, [8] -1.3°C

FLASH POINT :

<3> 57.8°C (TCC)

FLAMMABILITY :

<2>,<3> flammable

EXPLOSIVE LIMITS :

<2> 6.0-35.6% (v/v), <3> 2.2-15.2% (v/v)

VAPOR PRESSURE :

<2> 12.3kPa (20°C), <3> ca.356Pa (20°C)

SPECIFIC GRAVITY :

<2> 0.793 (20/20°C), <3> 0.952 (20/20°C),[8]1.03 (15°C)

SOLUBILITY IN WATER :

[2],[3],[4],[6],[8],[9]; Soluble, [7]; Miscible

log Po/w:

<2> octanol/H₂O= -0.82, -0.66, <3> octanol/H₂O= -0.87

DECOMPOSITION TEMPERATURE : Not available

10. STABILITY AND REACTIVITY**CONDITION TO AVOID :**

Sunlight, heat, open flames, high temperature, sparks, static electrical charges, other ignition sources.

INCOMPATIBILITY (MATERIAL TO AVOID) :

Water-reactive materials (alkali metals etc.), strong oxidizers, acids, heavy metals.

HAZARDOUS DECOMPOSITION PRODUCTS :

Carbon monoxide, nitrogen oxides, sulfur oxides, phosphor oxides and sodium compounds may be formed.

HAZARDOUS POLYMERIZATION : will not occur

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY DATA : Not available as the mixture.

<1> LD₅₀ (ip, mouse) 150mg/kg (CCPTAY 33,1,1986)

<2> LD₀ (oral, man) 6422mg/kg (CMAJAX 128,14,1983), TDL₀ (oral, man) 3429mg/kg (AMSVAZ 212,5,1982), LD₀ (oral, human) 428mg/kg (NPIRI* 1,74,1974), LD₀ (oral, human) 143mg/kg (34ZIAG -,382,1969), TDL₀ (oral, woman) 4g/kg (AMSVAZ 212,5,1982), TCL₀ (inhalation, human) 86000mg/m³ (ACGHAR 5,1,1933), TCL₀ (inhalation, human) 300ppm (NPIRI* 1,74,1974)

<3> LD₅₀ (oral, rat) 2800mg/kg (ZEKBAI 69,103,1967), LCL₀ (inhalation, rat) 5000ppm/6H (USXXAM #5122301), LD₅₀ (skin, rat)>3160mg/kg (NTIS** OTS0516779), LD₅₀ (ip, rat) 1400mg/kg (BJIMAG 13,51,1956), LD₅₀ (subcutaneous, rat) 3800mg/kg (ARZNAD 15,618,1965)

<4> LD₀ (unreported, man) 220mg/kg (85DCAI 2,73,1970), LD₅₀ (oral, rat) 1530mg/kg (BIOFX* 17-4/1970), LC₅₀ (inhalation, rat) >850mg/m³ (BIOFX* 17-4/1970), LD₅₀ (skin, rabbit) 2740mg/kg (BIOFX* 17-4/1970)

IRRITATION DATA : Not available as the mixture. <1> Not available

<2> Skin (rabbit) 20mg/24hr (moderate) (85JCAE -,187,1986), Eyes (rabbit) 40mg (moderate) (UCDS** 3/24/1970), Eyes (rabbit) 100mg/24hr (moderate) (85JCAE -,187,1986)

<3> Skin (human) 100%/24hr (mild) (BJIMAG 13,51,1956), Eyes (rabbit) 100mg rinse (severe) (DCTODJ 9,147,1986)

<4> Skin (rabbit) 595mg/24hr (severe) (BIOFX* 17-4/1970), Eyes (rabbit) 119mg (severe) (BIOFX* 17-4/1970)

MUTATION DATA : Not available as the mixture. <4> Not available

<1> Mutation (*S. typhimurium*) 600µg /plate (-S9) (PMRSDJ 1,343,1981), DNA repair (*S. cerevisiae*) 300mg/L (PMRSDJ 1,502,1981), Sex chromosome loss and nondisjunction (*S. cerevisiae*) 25mg/L (PMRSDJ 1,468,1981), Cytogenic analysis (human, inhalation) 12300µg/m³ (ZHYGAM 31,366,1985), Cytogenic analysis (human, lymphocyte) 100nmol/L (CHPUA4 31,548,1981), Dominant lethal test (rat, inhalation) 10700µg/m³ (TPKVAL 15,21,1979)

<2> MTR (mouse, fibroblast) 10ppm (CRNGDP 3,553,1982)
DNA repair (*E. coli*) 20mg/well (MUREAV 133,161,1984), DNA inhibitor (human, lymphocyte) 300mmol/L (PNASA6 79,1171,1982), DNA damage (rat, oral) 10µmol/kg (ENMUDM 4,317,1982), Cytogenic analysis (mouse, oral) 1g/kg (ENMUDM 7 (Suppl. 3), 10,1985), Cytogenic analysis (mouse, ip) 75mg/kg (ENMUDM 5,381,1983)

REPRODUCTIVE EFFECTS DATA : Not available as the mixture. <4> Not available

<1> TDL₀ (rat, intrauterine, 1D preg) 2500mg/kg (CCPTAY 14,39,1976), TDL₀ (rat, intrauterine, 1D pre) 5mg/kg (CCPTAY 37,85,1988), TDL₀ (rat, intravaginal, 1D pre) 50mg/kg (FAATDF 2,211,1982), TDL₀ (rat, intravaginal, 3D preg) 50mg/kg (TXCYC 39,177,1986), TDL₀ (rabbit, intravaginal, 10D pre) 1250µg/kg (FESTAS 33,445,1980), TDL₀ (rabbit, intravaginal, 1D pre) 1 mg/kg (CCPTAY 32,283,1985)

<2> TDL₀ (rat, oral, 17-19D preg) 7500mg/kg (TJADAB 33,259,1986), TDL₀ (rat, oral, 1-15D preg) 35295mg/kg (ONGZAC 22 (1), 71,1991), TDL₀ (rat, oral, 6-15D preg) 20g/kg (TJADAB 49,399,1994), TCL₀ (rat, inhalation, 7H, 1-22D preg) 20000ppm (TJADAB 29 (2), 48A, 1984), TDL₀ (rat, inhalation, 7H, 7-15D preg) 20000ppm (FAATDF 5,727,1985)

<3> TDL₀ (rat, oral, 6-15D preg) 5030mg/kg (FCTOD7 29,193,1991), TCL₀ (rat, inhalation, 6H, 13W pre) 800ppm (NTPTR* NIH-93-3345), TCL₀ (rat, inhalation, 6H, 13W male) 50ppm (NTPTR* NIH-93-3345)

TUMORIGENIC DATA : Not available as the mixture. <1>, <2>, <4> Not available

<3> ACGIH:A4 (Not classifiable as a human carcinogen), OSHA : Possible select carcinogen, IARC: Group 2B (Possibly Carcinogenic to Human)

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY, BIOACUMULATION POTENTIAL : <1> Not available

AQUATIC TOXICITY :

<2> TLm (96hr) >1000ppm (Goldfish)

<3> LC₅₀ (48hr) 9800mg/L (Killfish)

<4> LD₅₀ (96hr) 10-100mg/L (Fish), Lethal at 135mL/L, LC₅₀ (48hr) 240mg/L (Shore crab), Chronic plant toxicity: 100ppm

OTHER DATA : Not available

13. DISPOSAL CONSIDERATION

Take up the material with combustible absorbents and burn in small portion in a chemical incinerator equipped with an afterburner and scrubber in accordance with all applicable regulations. Any disposal practice must be in compliance with country, local, state, and federal laws and regulations (contact country, local or state environmental agency for specific rules).

After contents are completely removed, dispose of the bottles and the package properly (in accordance with local/ regional/ national/ international regulation).

14. TRANSPORT INFORMATION

Total box as a chemical kit

Chemical kit; UN3316 CLASS or DIVISION: (Class 9),(P.G. III)

<2> Methanol; IATA:Substance ID#:1230, Hazard ID#:336, Label: 3+6.1,Class & Item #3,17. deg.(b)/DOT : UN1230, Flammable liquid, Poison

<3> N, N-Dimethylformamide; IATA:Substance ID#:2265, Hazard ID#: 30, Label: 3,Class & Item #:3, 31. deg.(c)/DOT : UN2265, Flammable liquid

<4> Phosphoric acid; IATA:Substance ID#: 1805, Hazard ID#: 80, Label: 8,Class & Item #:8, 17. deg.(c)/DOT : UN1805, Corrosive

15. REGULATORY INFORMATION

US REGULATIONS ;

- <1> TSCA : 8 (a) PAIR, 8 (d) HSDRR, FIFRA : PII
- <2> CAA: HAP, VOC, CWA: Hazardous substance, FIFRA : PAI, PII, RCRA: LDR, SARA: TRI, CERCLA RQ=5,000lbs./2270kg, DOT: CGBHM, DOT :[UN1230] [Flammable liquid, Poison], FDA: PAFA
- <3> CAA: HAP, VOC, CWA: Hazardous substance, FIFRA: PII, SARA: CERCLA RQ=100lbs./ 45.4kg), DOT: CGBHM, CGNL, [UN2265] [Flammable liquid]
- <4> CWA: Hazardous substance, FIFRA: PAI, PII, SARA: TRI, CERCLA RQ=5000lbs./2270kg, DOT: CGBHM,CGNL, FDA: PAFA

16. OTHER INFORMATION

No specific notes

The above information is believed to be correct to be the best of our knowledge and information but does not purport to be all inclusive and shall be used only as a guide. This product is intended to be used by expert persons having chemical knowledge and skill at their own discretion and risk and Tokiwa shall not be held liable for any damage resulting from handling or from contact with the above material.

(LAST PAGE)