

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : ABRAXIS® Domoic Acid ELISA; 96-Test
Product code : ON0021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Detection/determination of Domoic Acid concentration in a sample

Uses advised against

Restrictions on use : For research purpose only

1.3. Details of the supplier of the safety data sheet

Supplier

Gold Standard Diagnostics Horsham LLC
795 Horsham Rd
19044 Horsham, PA
T 12153573911
info.abraxaxis@us.goldstandarddiagnostics.com

Only Representative

Gold Standard Diagnostics Budapest Kft.
1047 Budapest
Fóti út 56, Hungary

1.4. Emergency telephone number

Emergency number : 12153573911 Monday - Friday 8:00am - 4:00pm EST

Country/Area	Organisation	Emergency number
Austria	Vergiftungsinformationszentrale. Stubenring 6 1010 Vienna.	+43 1 406 43 43
Belgium	Centre Anti-Poisons/Antigifocentrum. c/o Hôpital Militaire Reine Astrid. Rue Bruyn 1 1120 Brussels.	+32 70 245 245 Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Bulgaria	Национален токсикологичен информационен център. Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов". бул. Ген. Едуард И. Тотлебен 21 1606 Sofia.	+359 2 9154 233 The phone is active 24/7 and calls to it are free
Croatia	Centar za kontrolu otrovanja. Institut za medicinska istraživanja i medicinu rada. Ksaverska Cesta 2. p.p. 291 10000 Zagreb.	+385 1 234 8342 Information available 24/7 in Croatian and English
Estonia	Mürgistusteabekeskus. Terviseamet. Paldiski mnt 81 10614.	16662 +372 7943 794 Calling the hotline is anonymous and at the cost of a local call.
Finland	Myrkytystietokeskus. Stenbäckinkatu 9. PO BOX 100 00029 Helsinki.	+358 800 147 111 +358 9 471 977 Open 24 hours a day 0800 147 111 (free of charge) 09 471 977 (normal rate call)
France	ORFILA	+33 1 45 42 59 59 This number automatically directs calls to the nearest poison control center, based on the caller's location. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Country/Area	Organisation	Emergency number
Germany	Klinik für Intensiv- und Notfallmedizin, Klinikum Nürnberg. Institut für Biomedizin des Alterns, Universität Erlangen-Nürnberg. Professor-Ernst-Nathan-Straße 1 90419.	+49 (0) 911 398 2451
	Giftnotruf der Charité - Universitätsmedizin Berlin. CBF, Haus VIII (Wirtschaftsgebäude), UG. Hindenburgdamm 30 12203.	+49 (0) 30 19240
Greece	Poisons Information Centre. Children's Hospital P&A Kyriakou. 11762.	+30 21 07 79 37 77
Hungary	Nemzeti Népegészségügyi Központ. Egészségügyi Toxikológiai Tájékoztató Szolgálat. Albert Flórián út 2-6 1097.	+36 80 20 11 99 +36 1 476 6464 Emergency number 1: (0-24 hours, free of charge - only from Hungary) Emergency number 2: (0-24 hours, can be called for a normal fee - also from abroad)
Ireland	National Poisons Information Centre. Beaumont Hospital. PO Box 1297. Beaumont Road 9 Dublin.	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
Italy	Centro Antiveleni di Bergamo. Azienda Ospedaliera Papa Giovanni XXIII. Piazza OMS - Organizzazione Mondiale della Sanità, 1 24127 Bergamo.	800 88 33 00
Latvia	Valsts ugunsdzēsības un glābšanas dienests. Toksikoloģijas un sepses klīnikas Saindēšanās un zāļu informācijas centrs. Hipokrāta 2 1038 Rīga.	112 +371 67 04 24 73 works 24 hours a day
Malta	Medicines & Poisons Info Office. Mater Dei Hospital. Msida MSD 2090 Msida.	112 +356 2545 6508
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC). Huispostnummer Q03.2.315. Postbus 85500 3508 GA Utrecht.	+31 88 755 80 00 Only for the purpose of informing medical personnel in cases of acute intoxications (24 hours a day, 7 days a week)
Poland	Pomorskie Centrum Toksykologii. Ul. Kartuska 4/6 80-104 Gdańsk.	+48 058 682 04 04 Biocidal product poisoning control region: Voivodeships: Pomeranian, West Pomeranian, Warmian-Masurian, Kuyavian-Pomeranian
Romania	Spitalul Clinic de Urgenta Bucuresti. Secția Clinică ATI II - Toxicologie Clinică. Calea Floreasca nr. 8. sector 1 Bucharest.	+40 21 599 23 00 (information provided in Romanian and English)
Spain	Servicio de Información Toxicológica. Instituto Nacional de Toxicología y Ciencias Forenses. Departamento de Madrid. C/José Echegaray nº4 28232 Las Rozas de Madrid.	+34 91 562 04 20 +34 91 411 26 76 (teléfono solo para médicos) (Toxicological emergencies only). Information in Spanish (24/7)
Sweden	Giftinformationscentralen. Solna Strandväg 21 171 54 Solna.	112 – begär Giftinformation

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Serious eye damage/eye irritation, Category 2	H319
Acute toxicity (inhalation:dust,mist) Category 4	H332
Carcinogenicity, Category 1A	H350
Specific target organ toxicity – Single exposure, Category 2	H371
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: ProClin

Hazard statements (CLP)

: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P261 - Avoid breathing mist, spray, vapours.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard pictograms (CLP)



GHS02

GHS06

GHS08

Signal word (CLP)

: Danger

Contains

: Methyl alcohol

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.

H302+H332 - Harmful if swallowed or if inhaled.

H371 - May cause damage to organs (central nervous system, visual organ).

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P260 - Do not breathe vapours, spray, mist.

P264 - Wash hands, forearms and face thoroughly after handling.

Unknown acute toxicity (GHS EU) - SDS

: 7.46% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

Hazard pictograms (CLP)



GHS08

Signal word (CLP)

: Danger

Contains

: Sulfuric acid

Hazard statements (CLP)

: H350 - May cause cancer.

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Precautionary statements (CLP) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	% Kit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methyl alcohol substance with a Community workplace exposure limit 10.0% Standards 10.0% Diluent	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	3.039	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
Sodium chloride 1.62% Standards 1.62% Diluent 0.87% Antibody Solution 0.87% Conjugate Solution 4.39% 5X Wash 32.58% Microtiter Plate	CAS-No.: 7647-14-5 EC-No.: 231-598-3	2.988	Eye Irrit. 2, H319
ProClin 0.1% Antibody Solution 0.1% Conjugate Solution 0.25% 5X Wash	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5	0.14	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Sulfuric acid substance with a Community workplace exposure limit 2.0% Stop Solution	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8	0.064	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Carc. 1A, H350 STOT SE 3, H335

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Methyl alcohol (Standards, Diluent)	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	(3 $\leq$ C < 10) STOT SE 2; H371 (10 $\leq$ C $\leq$ 100) STOT SE 1; H370

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
ProClin (Antibody Solution, Conjugate Solution, 5X Wash)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317 (0.06 ≤ C < 0.6) Skin Irrit. 2; H315 (0.06 ≤ C < 0.6) Eye Irrit. 2; H319 (0.6 ≤ C ≤ 100) Skin Corr. 1C; H314 (0.6 ≤ C ≤ 100) Eye Dam. 1; H318
Sulfuric acid (Stop Solution)	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8	(5 ≤ C < 15) Skin Irrit. 2; H315 (5 ≤ C < 15) Eye Irrit. 2; H319 (15 ≤ C ≤ 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but, not mouth-to-mouth. If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. If you feel unwell, seek medical advice.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause damage to organs (central nervous system, visual organ).
Symptoms/effects after inhalation	: Inhalation may cause irritation, cough, shortness of breath.
Symptoms/effects after skin contact	: Irritation (itching, redness, blistering). May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice/attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical, CO ₂ , or water spray or regular foam. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Sodium oxide.

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------------------------|--|
| General measures | : Avoid all personal contact including breathing in the mist, spray, vapours. Do not take actions involving personal risks. Absorb spillage to prevent material damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. |
| For non-emergency personnel | |
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Evacuate the danger area. If outdoors, move to an area upwind of the danger area. Avoid contact with skin and eyes. If possible without taking personal risks, remove ignition sources, ventilate area. Prevent other non-emergency personnel from entering the danger area. |
| For emergency responders | |
| Protective equipment | : Wear the recommended personal protective equipment. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate personnel to a safe area. Do not touch or walk on the spilled product. Stop leak if safe to do so. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Contain with non-combustible inert absorbent. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. |
| Methods for cleaning up | : Take up in non-combustible inert absorbent and place into container for disposal. Contaminated absorbent material may pose the same hazard as the spilt product. Decontaminate surfaces and equipment with water and detergent. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations. |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Use only outdoors or in a well-ventilated area. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing mist, spray, vapours. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. |

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Keep container closed when not in use. Store in a secure location. Keep away from heat and direct sunlight. Keep away from food, drink and animal feedingsuffs.
- Incompatible materials : Strong acids, strong bases and strong oxidants.
- Packaging materials : Always store product in container of same material as original container.

Germany

Storage class (LGK, TRGS 510)

Joint storage table

: LGK 12 - Non-combustible liquids

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 6.2, LGK 7

: LGK 4.1A, LGK 4.3, LGK 5.1C

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

7.3. Specific end use(s)

Detection/determination of Domoic Acid concentration in a sample.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Methyl alcohol (67-56-1)

EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Methanol
IOEL TWA	260 mg/m ³ 200 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC

Austria - Occupational Exposure Limits

Local name	Methanol (Methylalkohol)
MAK (OEL TWA)	260 mg/m ³ 200 ppm
MAK (OEL STEL)	1040 mg/m ³ (4x 15(Miw) min) 800 ppm (4x 15(Miw) min)
Remark	H
Regulatory reference	BGBI. II Nr. 339/2025

Belgium - Occupational Exposure Limits

Local name	Alcool méthylique # Methanol
OEL TWA	266 mg/m ³ 200 ppm

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Methyl alcohol (67-56-1)	
OEEL STEL	333 mg/m ³ 250 ppm
Remark	D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht.
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Bulgaria - Occupational Exposure Limits	
Local name	Метилов алкохол
OEEL TWA	260 mg/m ³ 200 ppm
Remark	Кожа (възможна е значителна резорбция чрез кожата); • (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 28 от 2024 г., в сила от 05.04.2024 г.)
Croatia - Occupational Exposure Limits	
Local name	Metanol
GVI (OEEL TWA)	260 mg/m ³ 200 ppm
Remark	Direktiva: 2006/15/EZ. Napomena: Koža (razvrstana kao tvar koja nadražuje kožu (H315))
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)
Croatia - Biological limit values	
Local name	Metanol
BLV	24.7 mmol/mol Creatinine Karakteristični pokazatelj: metanol - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju radne smjene 7 mg/g creatinine Karakteristični pokazatelj: metanol - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju radne smjene
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Local name	Methanol (Methylalkohol)
PEL (OEEL TWA)	250 mg/m ³ 188 ppm
NPK-P (OEEL C)	1000 mg/m ³ 751 ppm
Remark	B - u látky je zaveden biologický expoziční test (BET) v moči nebo krvi, D - při expozici se významně uplatňuje pronikání faktoru kůží.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 473/2025 Sb.)

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Methyl alcohol (67-56-1)	
Czech Republic - Biological limit values	
Local name	Methanol (Methylalkohol)
BLV	15 mg/l Ukazatel: Methanol - Biologicky vzorek: moči - Doba odběru: konec směny 0.47 mmol/l Ukazatel: Methanol - Biologicky vzorek: moči - Doba odběru: konec směny
Regulatory reference	Vyhláška č. 107/2013 Sb. (kterou se mění vyhláška č. 432/2003 Sb.)
Estonia - Occupational Exposure Limits	
Local name	Metanool (metüülalkohol)
OEL TWA	250 mg/m ³ 200 ppm
OEL STEL	350 mg/m ³ 250 ppm
Remark	A (Naha kaudu kergesti imenduv aine)
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)
France - Occupational Exposure Limits	
Local name	Méthanol (alcool méthylique)
VLEP 8h (OEL TWA)	260 mg/m ³ 200 ppm
VLEP CT (OEL STEL)	1300 mg/m ³ 1000 ppm
Remark	Valeurs réglementaires contraignantes. Risque de pénétration percutanée. La VLEP CT n'est pas réglementaire et provient d'une circulaire du ministère chargé du travail
Regulatory reference	Article R4412-149 du Code du travail et circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849; Décret n° 2024-307)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Methanol
AGW (OEL TWA)	130 mg/m ³ 100 ppm
Peak exposure limitation factor	2(II)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); H - hautresorptiv; Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Germany - Biological limit values (TRGS 903)	
Local name	Methanol
Biological limit value	15 mg/l Parameter: Methanol - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: b) Expositionsende, bzw. Schichtende - Festlegung/Begründung: 05/2024 DFG
Regulatory reference	TRGS 903

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Methyl alcohol (67-56-1)	
Greece - Occupational Exposure Limits	
Local name	Μεθανόλη
OEL TWA	260 mg/m ³
	200 ppm
OEL STEL	325 mg/m ³
	250 ppm
Remark	Η ένδειξη «δέρμα» στις οριακές τιμές επαγγελματικής έκθεσης επισημαίνει το ενδεχόμενο σημαντικής διείσδυσης μέσω του δέρματος.
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	METANOL
AK (OEL TWA)	260 mg/m ³
	200 ppm
Remark	b (Bőrön át is felszívódik), i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármat); EU2 (2006/15/EK irányelvben közölt érték); R+T (Azok az anyagok, amelyek RÖVID és TARTÓS expozíciója is egészségkárosodást okoz)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Hungary - Biological Exposure Indices	
Local name	Metanol
BEI	30 mg/l Biológiai expozíciós (hatás) mutató: metanol - Biológiai minta: vizeletben - Mintavétel ideje: m.v. (műszak végén) 940 μmol/l Biológiai expozíciós (hatás) mutató: metanol - Biológiai minta: vizeletben - Mintavétel ideje: m.v. (műszak végén)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Biological limit values	
Local name	Methanol
BMGV	15 mg/l Parameter: methanol - Medium: urine - Sampling time: End of shift - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
Italy - Occupational Exposure Limits	
Local name	Metanolo
OEL TWA	260 mg/m ³
	200 ppm
Remark	Cute
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i. (D.Lgs. 4 settembre 2024, n. 135)
Latvia - Occupational Exposure Limits	
Local name	Metanols (metilspirts, karbinols)
OEL TWA	260 mg/m ³
	200 ppm

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Methyl alcohol (67-56-1)	
Remark	Āda
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2026. gada 17. martā noteikumiem Nr. 142).
Lithuania - Occupational Exposure Limits	
Local name	Metanolis (metilo alkoholis)
IPRV (OEL TWA)	260 mg/m ³
	200 ppm
Remark	O (medžiaga į organizmą gali prasiskverbti pro nepažeistą odą)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Méthanol
OEL TWA	260 mg/m ³
	200 ppm
Remark	Peau
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	260 mg/m ³
	200 ppm
Remark	Skin # Ġilda
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Aġenti Kimiċi fuq il-Post tax-Xogħol (A.L. 356 tal-2021)
Netherlands - Occupational Exposure Limits	
Local name	Methanol
TGG-8u (OEL TWA)	133 mg/m ³
	100 ppm
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Regulatory reference	Arbeidsomstandighedenregeling 2026
Poland - Occupational Exposure Limits	
Local name	Metanol
NDS (OEL TWA)	100 mg/m ³
NDSch (OEL STEL)	300 mg/m ³
Remark	Skóra (Oznakowanie substancji notacją „skóra” oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową).
Regulatory reference	Dz. U. 2026 poz. 447 wraz z późn. zm.
Romania - Occupational Exposure Limits	
Local name	Metanol/Alcool metilic

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Methyl alcohol (67-56-1)	
OEL TWA	260 mg/m ³
	200 ppm
Remark	P - posibilitatea unei penetrări cutanate importante
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)
Romania - Biological limit values	
Local name	Alcool metilic
BLV	6 mg/l Indicatorul biologic: Metanol - Material biologic: urină - Momentul recoltării: sfârșit de schimb
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)
Slovakia - Occupational Exposure Limits	
Local name	Metylalkohol (metanol)
NPHV (OEL TWA)	260 mg/m ³
	200 ppm
Remark	K – znamená, že faktor môže byť ľahko absorbovaný kožou
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)
Slovakia - Biological limit values	
Local name	Metanol
BLV	30 mg/l Zisťovaný faktor: Metanol - Vyšetrovaný materiál: moč - Čas odberu vzorky: c) pri dlhodobej expozícii; po viacerých pracovných zmenách, b) koniec expozície alebo pracovnej zmeny
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	metanol (metilalkohol)
OEL TWA	260 mg/m ³
	200 ppm
OEL STEL	1040 mg/m ³
	800 ppm
Remark	K (Lastnost lažjega prehajanja snovi v organizem skozi kožo), Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), BAT (Biološka mejna vrednost), EU
Regulatory reference	Uradni list RS, št. 26/2025 z dne 18.4.2025 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu
Slovenia - Biological limit values	
Local name	metanol
BLV	15 mg/l Parameter: metanol - Biološki vzorec: urin - Čas vzorčenja: ob koncu delovne izmene pri dolgotrajni izpostavljenosti: ob koncu delovne izmene po več zaporednih delavnikih
Regulatory reference	Uradni list RS, št. 26/2025 z dne 18.4.2025 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu
Spain - Occupational Exposure Limits	
Local name	Metanol (Alcohol metílico)
VLA-ED (OEL TWA)	266 mg/m ³

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Methyl alcohol (67-56-1)	
	200 ppm
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), VLB® (Agente químico que tiene Valor Límite Biológico), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2026. INSHT
Spain - Biological limit values	
Local name	Metanol (Alcohol metílico)
BLV	15 mg/l Parámetro: Metanol - Medio: Orina - Momento de muestreo: Final de la jornada laboral - Notas: F (Fondo. El indicador está generalmente presente en cantidades detectables en personas no expuestas laboralmente. Estos niveles de fondo están considerados en el valor VLB), I (Significa que el indicador biológico es inespecífico puesto que puede encontrarse después de la exposición a otros agentes químicos)
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2026. INSHT
Sweden - Occupational Exposure Limits	
Local name	Metanol
NGV (OEL TWA)	250 mg/m ³
	200 ppm
KGV (OEL STEL)	350 mg/m ³
	250 ppm
Remark	H (Ämnet tas lätt upp genom huden. Gränsvärdet bedöms ge tillräckligt skydd om huden är skyddad); V (Vägläddande kortidsgränsvärde som ska användas som ett rekommenderat högsta värde som inte bör överskridas); 23 (Ämnet har ett indikativt EU-gränsvärde)
Regulatory reference	Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön
Iceland - Occupational Exposure Limits	
Local name	Metanól (metýlalkóhól, tréspíritus)
OEL TWA	260 mg/m ³
	200 ppm
Remark	H (efnið getur auðveldlega borist inn í líkamann gegnum húð)
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
ProClin (55965-84-9)	
Austria - Occupational Exposure Limits	
Local name	5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1) (Kathon)
MAK (OEL TWA)	0.05 mg/m ³
Remark	Sh
Regulatory reference	BGBI. II Nr. 339/2025
Poland - Occupational Exposure Limits	
Local name	5-Chloro-2-metylo-2H-izotiazol-3-on i 2-metylo-2H-izotiazol-3-on (masa poreakcyjna 3:1)

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ProClin (55965-84-9)	
NDS (OEL TWA)	0.2 mg/m ³
NDSch (OEL STEL)	0.4 mg/m ³
Remark	Skóra (Oznakowanie substancji notacją „skóra” oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową).
Regulatory reference	Dz. U. 2026 poz. 447 wraz z późn. zm.
Sodium chloride (7647-14-5)	
Latvia - Occupational Exposure Limits	
Local name	Nātrija hlorīds
OEL TWA	5 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2026. gada 17. martā noteikumiem Nr. 142).
Lithuania - Occupational Exposure Limits	
Local name	Natrio chloridas
IPRV (OEL TWA)	5 mg/m ³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Sulfuric acid (7664-93-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphuric acid (mist)
IOEL TWA	0.05 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
Austria - Occupational Exposure Limits	
Local name	Schwefelsäure
MAK (OEL TWA)	0.1 mg/m ³ (E) 0.05 mg/m ³ (E, thorakal)
OEL C	0.2 mg/m ³ (E, 8x)
Remark	Bei der Auswahl einer geeigneten Messmethode sind allfällige Störungen durch andere Schwefel-verbindungen zu vermeiden
Regulatory reference	BGBI. II Nr. 339/2025
Belgium - Occupational Exposure Limits	
Local name	Acide sulfurique (brume) # Zwavelzuur (nevel)
OEL TWA	0.2 mg/m ³
Remark	C: la mention “C” signifie que l’agent en question relève du champ d’application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoïques du livre VI du code de bien-être au travail. Lors du choix d’une méthode appropriée de suivi de l’exposition, il convient de tenir compte des limitations et interférences potentielles qui peuvent survenir en présence d’autre composés du soufre. # C: de vermelding “C” betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk. Bij de keuze van een geschikte blootstellingsmonitoringmethode dient rekening gehouden te worden met eventuele beperkingen en interferenties door de aanwezigheid van andere zwavelverbindingen.
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Sulfuric acid (7664-93-9)

Bulgaria - Occupational Exposure Limits

Local name	Сярна киселина
OEL TWA	0.05 mg/m ³ (аерозоли)
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност); (2) При избора на подходящ метод за наблюдение на експозицията следва да се вземат под внимание потенциалните ограничения и взаимодействия, които могат да възникнат в присъствието на други серни съединения; (3) Аерозолът се определя като вдишвана част
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 28 от 2024 г., в сила от 05.04.2024 г.)

Croatia - Occupational Exposure Limits

Local name	Sumporna kiselina (magla)
GVI (OEL TWA)	0.05 mg/m ³ magla je definirana kao torakalna frakcija
Remark	Prilikom odabira odgovarajuće metode praćenja izloženosti treba uzeti u obzir potencijalna ograničenja i smetnje koje se mogu pojaviti u prisutnosti drugih spojeva sumpora. Direktiva: 2009/161/EU
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)

Czech Republic - Occupational Exposure Limits

Local name	Kyselina sírová
PEL (OEL TWA)	1 mg/m ³ (jako SO ₃) 0.05 mg/m ³ (mlha koncentrované kyseliny)
NPK-P (OEL C)	2 mg/m ³ (jako SO ₃)
Remark	I - dráždíl sliznice (oči, dýchací cesty), resp. kůže.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 473/2025 Sb.)

Estonia - Occupational Exposure Limits

Local name	Väävelhape, udu
OEL TWA	0.05 mg/m ³
Remark	28 (Kokkupuute seiremeetodi valimisel tuleb arvestada võimalikke piiranguid ja häireid, mis võivad tekkida väävliühendite esinemise korral), 29 (Udu määratletakse ülemistes hingamisteedesse jõudvate osakeste fraktsioonina)
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)

France - Occupational Exposure Limits

Local name	Acide sulfurique
VLEP 8h (OEL TWA)	0.05 mg/m ³ (fraction thoracique de l'aérosol)
VLEP CT (OEL STEL)	3 mg/m ³ (fraction thoracique de l'aérosol)
Remark	Valeurs réglementaires indicatives. La VLEP CT n'est pas réglementaire et provient d'une circulaire du ministère chargé du travail
Regulatory reference	Arrêté du 30 juin 2004 modifié et circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65; Arrêté du 9 mai 2012)

Germany - Occupational Exposure Limits (TRGS 900)

Local name	Schwefelsäure
AGW (OEL TWA)	0.1 mg/m ³ (E)

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Sulfuric acid (7664-93-9)	
Peak exposure limitation factor	1(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Greece - Occupational Exposure Limits	
Local name	Θειικό οξύ (ομίχλη)
OEL TWA	1 mg/m ³
Remark	Η ένδειξη «δέρμα» στις οριακές τιμές επαγγελματικής έκθεσης επισημαίνει το ενδεχόμενο σημαντικής διείσδυσης μέσω του δέρματος.
Regulatory reference	Π.Δ. 12/2012 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	KÉNSAV
AK (OEL TWA)	0.05 mg/m ³ torakális frakció
Remark	m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat); EU3 (2009/161/EK irányelvben közölt érték); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Italy - Occupational Exposure Limits	
Local name	Acido solforico (nebulizzazione)
OEL TWA	0.05 mg/m ³
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i. (D.Lgs. 4 settembre 2024, n. 135)
Latvia - Occupational Exposure Limits	
Local name	Sērskābe3 (migla, kas tiek definēta kā torakālā frakcija)
OEL TWA	0.05 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2026. gada 17. martā noteikumiem Nr. 142).
Lithuania - Occupational Exposure Limits	
Local name	Sieros rūgštis (rūkas)
IPRV (OEL TWA)	0.05 mg/m ³
TPRV (OEL STEL)	3 mg/m ³
Remark	Renkantis tinkamą poveikio stebėsenos modelį turi būti atsižvelgiama į galimus apribojimus ir trukdžius, galinčius kilti, kai esama kitų sieros junginių. Rūkas (migla) apibrėžiamas kaip įkvepiama dalis.
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Acide sulfurique (brume)
OEL STEL	0.05 mg/m ³ La brume est définie comme la fraction thoracique

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Sulfuric acid (7664-93-9)	
Remark	Lors du choix d'une méthode appropriée de suivi de l'exposition, il convient de tenir compte des limitations et interférences potentielles qui peuvent survenir en présence d'autres composés du soufre
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Sulphuric acid
OEL TWA	0.05 mg/m ³ (mist # ċpar)
Remark	When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. The mist is defined as the thoracic fraction. # FI-għażla ta' metodu xieraq għall-monitoraġġ tal-esponiment, għandhom jitqiesu l-limitazzjonijiet u l-interferenzi potenzjali li jistgħu jfeġġu fil-preżenza ta' komposti oħrajn tas-sulphur (kubrit). Dan iċ-ċpar huwa mfisser bħala l-frazzjoni toraċika.
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Aġenti Kimiċi fuq il-Post tax-Xogħol (A.L. 356 tal-2021)
Netherlands - Occupational Exposure Limits	
Local name	Zwavelzuur
TGG-8u (OEL TWA)	0.05 mg/m ³ (nevel), gedefinieerd als de thoracale fractie
Remark	Kankerverwekkende stof
Regulatory reference	Arbeidsomstandighedenregeling 2026
Poland - Occupational Exposure Limits	
Local name	Kwas siarkowy(VI)
NDS (OEL TWA)	0.05 mg/m ³ frakcja torakalna
Remark	Frakcja torakalna – frakcja aerozolu wnikażąca do dróg oddechowych w obrębie klatki piersiowej, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze tchawiczno-oskrzelowym i obszarze wymiany gazowej.
Regulatory reference	Dz. U. 2026 poz. 447 wraz z późn. zm.
Romania - Occupational Exposure Limits	
Local name	Acid sulfuric
OEL TWA	0.05 mg/m ³
Remark	Pentru acid sulfuric: atunci când se alege o metodă adecvată de monitorizare a expunerii, trebuie să se țină cont de limitările și interferențele potențiale care pot apărea în prezența altor compuși ai sulfurului. Particule lichide pulverizate (Pentru acid sulfuric: particulele lichide pulverizate se definesc ca fracțiune toracică).
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina sírová (hmla)
NPHV (OEL TWA)	0.05 mg/m ³
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	žveplova kislina - meгла
OEL TWA	0.05 mg/m ³
OEL STEL	0.05 mg/m ³

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Sulfuric acid (7664-93-9)	
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), EU
Regulatory reference	Uradni list RS, št. 26/2025 z dne 18.4.2025 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu
Spain - Occupational Exposure Limits	
Local name	Ácido sulfúrico
VLA-ED (OEL TWA)	0.05 mg/m ³ niebla
Remark	az (Al seleccionar un método adecuado de control de la exposición, deben tomarse en consideración posibles limitaciones e interferencias que pueden surgir en presencia de otros compuestos de azufre), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltase: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2026. INSHT
Sweden - Occupational Exposure Limits	
Local name	Svavelsyra
NGV (OEL TWA)	0.1 mg/m ³ (inhalerbar fraktion)
KGV (OEL STEL)	0.2 mg/m ³ (inhalerbar fraktion)
Remark	C (Ämnet är cancerframkallande); V (Väglödande korttidsgränsvärde som ska användas som ett rekommenderat högsta värde som inte bör överskridas); 22 (Anmärkningen att svavelsyra är cancerframkallande gäller bara aerosoler av svavelsyra); 23 (Ämnet har ett indikativt EU-gränsvärde); 25 (Med inhalerbar och respirabel fraktion menas de dammfraktioner som definieras i svensk standard SS-EN 481, Arbetsplatsluft – Partikelstorleksfraktioner för mätning av luftburna partiklar (utgåva 1, 1993). Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i en totaldammprovtagare)
Regulatory reference	Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön
Iceland - Occupational Exposure Limits	
Local name	Brennisteinssýra (úði)
OEL TWA	0.05 mg/m ³
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation, or process enclosure to keep the airborne concentrations below the permissible exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.


ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Wear safety glasses which protect from splashes

Skin protection

Skin and body protection:

Body protection should be chosen depending on activity and possible exposure. Long sleeved protective clothing

Hand protection:

Wear protective gloves

Respiratory protection

Respiratory protection:

In case of inadequate ventilation, wear respiratory protection.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colorless.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Sparks, heat, open flame and other sources of ignition. Protect from sunlight. Incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases and strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide. Sodium oxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Inhalation:dust,mist: Not classified (Based on available data, the classification criteria are not met).

Methyl alcohol (67-56-1)

LD50 oral rat	1187 – 2769 mg/kg bodyweight
LD50 dermal rabbit	17100 mg/kg bodyweight
LC50 Inhalation - Rat	> 20 mg/l/4h

ProClin (55965-84-9)

LD50 oral rat	66 mg/kg
LD50 dermal rabbit	87.12 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0.171 mg/l/4h

Sodium chloride (7647-14-5)

LD50 oral rat	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 10.5 mg/l

Sulfuric acid (7664-93-9)

LD50 oral	2140 mg/kg
LC50 Inhalation - Rat (Vapours)	0.375 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Methyl alcohol (67-56-1)

Additional information	Not irritating to rabbits on cutaneous application
------------------------	--

ProClin (55965-84-9)

pH	3.43
----	------

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Sodium chloride (7647-14-5)	
Additional information	Not irritating to rabbits on cutaneous application
Sulfuric acid (7664-93-9)	
pH	0.3
Specific Concentration Limit, Skin Corrosion, Category 1A	≥ 15 %
Specific Concentration Limit, Skin Irritation, Category 2	≥ 5 - < 15 %
Serious eye damage/irritation	: Causes serious eye irritation.
Methyl alcohol (67-56-1)	
Additional information	Not irritating to rabbits on ocular application
ProClin (55965-84-9)	
pH	3.43
Sodium chloride (7647-14-5)	
Serious eye damage/irritation, rabbit	Moderate eye irritant
Sulfuric acid (7664-93-9)	
pH	0.3
Specific Concentration Limit, Eye Irritation, Category 2	≥ 5 - < 15 %
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Methyl alcohol (67-56-1)	
Additional information	Does not cause cutaneous sensitisation for guinea-pigs
ProClin (55965-84-9)	
Specific concentration limits($0.0015 \leq C \leq 100$)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Methyl alcohol (67-56-1)	
Additional information	Mutagenicity tests are negative
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Sulfuric acid (7664-93-9)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause damage to organs (central nervous system, visual organ).
Methyl alcohol (67-56-1)	
STOT-single exposure	Causes damage to organs (visual organ, central nervous system).
Sulfuric acid (7664-93-9)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
ProClin (55965-84-9)	
LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight
NOAEL (oral, rat, 28 days)	0.4 mg/kg bw/day
NOAEC (inhalation, rat, 90 days)	0.34 mg/m ³

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ProClin (55965-84-9)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Sodium chloride (7647-14-5)

NOAEL (oral, rat, 28 days)	2000 mg/kg bw/day
----------------------------	-------------------

NOAEL (oral, rat, 90 days)	3000 mg/kg bw/day
----------------------------	-------------------

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

ProClin (55965-84-9)

Viscosity, kinematic	3.013 – 3.725 mm ² /s
----------------------	----------------------------------

Sodium chloride (7647-14-5)

Viscosity, kinematic	0.876 mm ² /s
----------------------	--------------------------

Sulfuric acid (7664-93-9)

Viscosity, kinematic	12.228 mm ² /s
----------------------	---------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met).

Methyl alcohol (67-56-1)

LC50 - Fish [1]	15400 mg/l
-----------------	------------

EC50 96h - Algae [1]	≈ 22000 mg/l
----------------------	--------------

NOEC (chronic)	208 mg/l
----------------	----------

NOEC chronic fish	446.7 mg/l
-------------------	------------

ProClin (55965-84-9)

LC50 - Fish [1]	0.19 mg/l
-----------------	-----------

LC50 - Fish [2]	0.28 mg/l
-----------------	-----------

EC50 - Crustacea [1]	0.16 mg/l
----------------------	-----------

ErC50 algae	27 µg/l
-------------	---------

NOEC (chronic)	0.1 mg/l
----------------	----------

NOEC chronic fish	0.098 mg/l
-------------------	------------

NOEC chronic crustacea	3.6 µg/l
------------------------	----------

Sodium chloride (7647-14-5)

LC50 - Fish [1]	5840 mg/l
-----------------	-----------

EC50 - Crustacea [1]	1024 mg/l
----------------------	-----------

EC50 72h - Algae [1]	> 100 mg/l
----------------------	------------

LOEC (chronic)	441 mg/l
----------------	----------

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Sodium chloride (7647-14-5)

NOEC (chronic)	314 mg/l
NOEC chronic fish	252 mg/l
NOEC chronic crustacea	500 mg/l

Sulfuric acid (7664-93-9)

LC50 - Fish [1]	16 – 28 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC (chronic)	0.15 mg/l
NOEC chronic fish	0.31 mg/l
NOEC chronic crustacea	0.15 mg/l

12.2. Persistence and degradability

ABRAXIS® Domoic Acid ELISA; 96-Test

Persistence and degradability	Not established.
-------------------------------	------------------

Methyl alcohol (67-56-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

ProClin (55965-84-9)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Sodium chloride (7647-14-5)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Sulfuric acid (7664-93-9)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

Sulfuric acid (7664-93-9)

Partition coefficient n-octanol/water (Log Pow)	-2.2
---	------

12.4. Mobility in soil

ProClin (55965-84-9)

Mobility in soil	12.08
------------------	-------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Refer to all applicable national, international and local regulations or provisions.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	Methyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F.
3(b)	ABRAXIS® Domoic Acid (Onsite Technologies) ELISA; 96-Test ; Methyl alcohol ; ProClin ; Sulfuric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10.
3(c)	ProClin	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1.
69.	Methyl alcohol	Methanol

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Does not contain substances listed as dual use

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Occupational diseases

Code	Description
RG 78	Diseases caused by sodium chloride in salt mines and their dependencies
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Germany

VOC ordinance (ChemVOCFarbV)

:

Employment restrictions

: Observe restrictions according to the Act on the Protection of Working Mothers (MuSchG).
Observe restrictions according to the Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Override matching entry (12. BImSchV)

: Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

ABM category

: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW List of Carcinogenic Substances

: Sulfuric acid is listed

SZW List of Mutagenic Substances

: None of the components are listed

SZW List of Reprotoxic Substances – Breastfeeding

: None of the components are listed

SZW List of Reprotoxic Substances – Fertility

: None of the components are listed

SZW List of Reprotoxic Substances – Development

: None of the components are listed

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891).
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Abbreviations and acronyms:

ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Abbreviations and acronyms:

TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

ABRAXIS® Domoic Acid ELISA; 96-Test

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



Full text of H- and EUH-statements:

H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H370	Causes damage to organs.
H371	May cause damage to organs (central nervous system, visual organ).
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 2	H371	Calculation method

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.